



2026

Desktop NTT Business W 900 A Product Carbon Footprint

Prepared by Plan Be Eco

29.04.2026

Methodology

How do we calculate the carbon footprint?

Product Carbon Footprint Methodology

The product carbon footprint (PCF) assessment was conducted in accordance with the GHG Protocol Product Life Cycle Accounting and Reporting Standard and aligned with the principles of ISO 14067. The objective was to quantify the total greenhouse gas (GHG) emissions associated with a plastic packaging product across selected life cycle stages.

The following stages were included in the assessment:

- Material acquisition (raw material extraction and processing),
- Production processes (on-site manufacturing activities),
- Transportation (logistics from suppliers to the production site and/or to customers),
- Utilization phase (typical use by end users, where relevant).

Emissions were calculated in terms of carbon dioxide equivalents (CO₂e), covering all relevant GHGs as defined by the GHG Protocol. The analysis was based on a combination of primary data (e.g., material inputs, energy consumption) and secondary data for background processes, including emission factors from reputable databases such as

- UK Government GHG Conversion Factors for Company Reporting 2024
- Aerospace Industry Tool for Calculating Scope 3 Greenhouse Gas Emissions of Purchased Goods & Services and Capital Goods
- BEIS
- Circular Ecology
- Exiobase

This PCF enables identification of emission hotspots along the value chain and supports informed decision-making for emission reduction and product optimization.

Uncertainty Statement

This PCF assessment relies on a combination of primary activity data and secondary emission factors from established databases. Uncertainty arises from the following sources:

- Emission factors: Secondary data from databases (UK GHG Conversion Factors 2024, Exiobase, Circular Ecology) carry inherent variability and may not precisely reflect site-specific conditions.
- Use phase: Electricity consumption is based on declared annual energy demand (78.42 kWh/year) and a minimum product lifespan of 4 years. Actual use patterns may vary by end-user.
- Material acquisition: Spend-based estimation methods for electronic components introduce higher uncertainty than primary supplier data; this category represents the single largest source of modelling uncertainty.

The overall results are considered indicative of the product's relative emission profile. Replacing spend-based estimates with primary supplier data in future assessments would materially reduce uncertainty for the dominant emission category.

Basic information:

Parameter	Value
Product Weight	4.70 kg
Minimum Product Lifespan	4 years
Location (Energy Grid)	Poland
Annual Energy Demand (TEC)	78.42 kWh / year
Global Warming Potential (GWP100)	582.15 kg CO ₂ e / pcs

Carbon footprint results

This report was prepared in accordance with the life cycle assessment (LCA) methodology for the product Desktop NTT Business W 900 A as of April 29, 2026

Carbon footprint

The carbon footprint of one piece of Desktop NTT Business W 900 A is 582,15 kg CO₂e

582,15 kg CO₂e

Phase	kg CO ₂ e / 1 pcs
Material acquisition	285.5954
Transport upstream	3.7200
Production processes	31.3603
Transport downstream	1.2807
Use phase	260.1976
Utilization phase	0,045




Chart 1. Distribution of Product Carbon Dioxide Equivalent Emissions Across LCA Phases

Table 1. Distribution of Product Carbon Dioxide Equivalent Emissions Across LCA Phases

kg CO₂e

Analysis of Results:

Hotspot Analysis

Purchased goods (285.60 kg CO₂e, 49.1%) is the dominant contributor. Within this category, electronic components dominate at 97.23% (277.77 kg CO₂e), reflecting the emission intensity of global electronics supply chains. Metal assortment contributes 1.82% (5.19 kg CO₂e) and plastics 0.95% (2.71 kg CO₂e).

Use phase (260.20 kg CO₂e, 42.0%) captures electricity consumption over the operational lifetime. Results are sensitive to the carbon intensity of the end-user's electricity grid. Production processes contribute 5.1%. Transport and end-of-life phases together represent less than 1% and are not material hotspots.

Summary and Conclusions

The life cycle carbon footprint of Desktop NTT Business W 900 A is 582,15 kg CO₂e per unit (ISO 14040/14044, cradle-to-grave).

Two hotspots drive the result: material acquisition (52.1%), dominated by electronic sub-components, and the use phase (42.0%), driven by operational electricity consumption. Together they account for over 94% of total emissions.

Key reduction opportunities:

- Energy efficiency – reducing device power consumption directly lowers use-phase emissions, particularly in carbon-intensive grid markets
- Supply chain data – replacing spend-based estimates with primary supplier data would reduce uncertainty for the largest emission category
- Recycled copper – given copper's disproportionate contribution relative to its mass, sourcing recycled material offers a targeted reduction lever

Summary

This report was prepared in accordance with the life cycle assessment (LCA) methodology for the product Desktop NTT Business W 900 A as of April 29, 2026

The carbon footprint of one piece of Desktop NTT Business W 900 A is 582,15 kg co2e

Prepared by



Joanna Maraszek-Darul
Chief Sustainability Officer



Contact

Plan Be Eco sp. z o.o.
al. Jana Pawła II 43A / 37B,
01-001 Warsaw, Poland

info@planbe.eco
+48 533 005 859

